



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/509,578	03/28/2005	Keiji Yamada	258759US0PCT	2433
22850	7590	06/17/2008		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER YOUNG, NATASHA E	
			ART UNIT	PAPER NUMBER
			1797	
			NOTIFICATION DATE	DELIVERY MODE
			06/17/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/509,578	Applicant(s) YAMADA, KEIJI	
	Examiner NATASHA YOUNG	Art Unit 1797	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 April 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohno et al (EP 1 142 619 A1) in view of Noda et al (US 6,395,370 B1) and admitted prior art.

Regarding claim 1, Ohno et al teaches a honeycomb filter (29, 39) or purifying exhaust gases (see Abstract and figures 8 and 13), comprising: a ceramic block comprising a plurality of rectangular columnar porous ceramic members (F10, F1) combined with one another by a sealing material layer (15), each of the rectangular columnar porous ceramic members having a plurality of through holes (12) extending parallel with one another in a length direction of the ceramic block and separated by a partition wall (13) interposed between the through holes; a circumferential sealing

material layer (16) is also formed on a circumference portion of said ceramic block (ceramic filter assembly), wherein said partition wall (13) functions as a filter for collecting particulates (see Abstract and paragraph 0025), and on a cross section perpendicular to the length direction of said ceramic block (where four of the ceramic members meet), said sealing material layer at least one crisscross portion in portion (see Abstract and figure 8).

Ohno et al does not teach the maximum width L (mm) of the crisscross portion of said sealing material layer is 1.5 to 3 times greater than the minimum width l (mm) of said sealing material layer.

Noda et al discloses a ceramic structure obtained by combining a plurality of sintered ceramic material segments (3a, 3b) in which ceramic structure thermal impacting-relieving zones (5a, 5b) capable of releasing the thermal impact applied are provided between the segments (3a, 3b) and the widths of the thermal impact-relieving zone (5a, 5b) in the sectional direction of the ceramic structure are various (see Abstract and figures 1-3 and 4a-c) and the thermal impact-relieving zones have a plurality of widths (see column 2, lines 61 through column 3, line 16).

Applicant discloses in the background of the invention that one end face of the honeycomb filter on the exhaust gas inlet side, a crisscross portion, which is a portion at which sealing material layer formed between the porous ceramic members intersect with each other, is likely to suffer from concentrated wind erosion due to exhaust gases (see page 2, lines 19-30) such that the crisscross portions may be interpreted as thermal impact zones.

It would have been obvious to try the specific structure of a segmented honeycomb filter wherein the crisscross portions of the sealing material layer are the thermal impact-relieving zones such that the width is of a thickness capable of releasing the thermal impact applied at that point for the predictable result of strengthening the honeycomb filter at its weakest point to prevent cracks.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a maximum width L (mm) of the crisscross portion of said sealing material layer is 1.5 to 3 times greater than a minimum width I (mm) of said sealing material layer, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

Claims 2-3 depend on claim 1 such that the reasoning used to reject claim 1 will be used to reject the dependent portions of the claims.

Regarding claim 2, Ohno et al discloses honeycomb filter wherein an outer circumferential face in the length direction has a curved face (see figure 13).

Regarding claim 3, Ohno et al does not disclose a honeycomb filter (29, 39) wherein said at least one crisscross portion of said sealing material layer includes a plurality of crisscross portions, in which a maximum width L of the crisscross portions of said sealing material layer is greater than the minimum width I of said sealing material layer (see figures 8 and 13).

Noda et al discloses a ceramic structure obtained by combining a plurality of sintered ceramic material segments (3a, 3b) in which ceramic structure thermal

impacting-relieving zones (5a, 5b) capable of releasing the thermal impact applied are provided between the segments (3a, 3b) and the widths of the thermal impact-relieving zone (5a, 5b) in the sectional direction of the ceramic structure are various (see Abstract and figures 1-3 and 4a-c) and the thermal impact-relieving zones have a plurality of widths (see column 2, lines 61 through column 3, line 16).

Applicant discloses in the background of the invention that one end face of the honeycomb filter on the exhaust gas inlet side, a crisscross portion, which is a portion at which sealing material layer formed between the porous ceramic members interest with each other, is likely to suffer from concentrated wind erosion due to exhaust gases (see page 2, lines 19-30) such that the crisscross portions may be interpreted as thermal impact zones.

It would have been obvious to try the specific structure of a segmented honeycomb filter wherein the crisscross portions of the sealing material layer are the thermal impact-relieving zones such that the width is of a thickness capable of releasing the thermal impact applied at that point for the predictable result of strengthening the honeycomb filter at its weakest point to prevent cracks.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a maximum width L (mm) of the crisscross portion of said sealing material layer is 1.5 to 3 times greater than a minimum width l (mm) of said sealing material layer, since it has been held that where the general conditions of a claim are discloses in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

Regarding claim 5, Ohno et al discloses a catalyst is applied to the porous ceramic member (see paragraph 0037).

Claims 4 and 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohno et al (EP 1 142 619 A1), Noda et al (US 6,395,370 B1), and admitted prior art in view of Fay, III et al (US 6,040,266).

Claims 4 and 6-7 depend on claim 1 such that the reasoning used to reject claim 1 will be used to reject the dependent portions of the claims.

Regarding claim 4, Ohno et al does not teach a honeycomb filter further comprising a catalyst supporting film is applied to the porous ceramic member.

However, Ohno et al teaches that a catalyst is carried on the honeycomb structure (see paragraph 0037), which may be made of cordierite (see paragraph 0036).

Fay, III et al teaches the use of a washcoat, or catalyst supporting film, on cordierite substrates (see column 2, lines 28-53).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teachings of Ohno et al with the teachings of Fay, III et al for increased surface area onto which the catalyst is applied.

Regarding claim 6, Ohno et al does not teach a catalyst supporting film is applied to the sealing material layer.

However, Ohno et al teaches that a catalyst is carried on the honeycomb structure (see paragraph 0037), which may be made of cordierite (see paragraph 0036).

Fay, III et al teaches the use of a washcoat, or catalyst supporting film, on cordierite substrates (see column 2, lines 28-53).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the teachings of Ohno et al with the teachings of Fay, III et al for increased surface area onto which the catalyst is applied.

It would have been an obvious variation to apply the washcoat to the honeycomb filter assembly, since one could as easily coat the bonded members (assembly) as one could coat the separate members and then bond the members together.

Regarding claim 7, Ohno et al does not teach a catalyst is applied to the sealing material layer.

However, Ohno et al teaches a catalyst is applied to the porous ceramic member (see paragraph 0037).

It would have been an obvious variation to apply the catalyst, not only to the ceramic members, but also the sealing material that bond the members together for the predictable result of improved purification.

Response to Arguments

Applicant's arguments, see Remarks, filed April 24, 2008, with respect to the rejection(s) of claim(s) 1-7 under 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Noda et al (US 6,395,370 B1).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATASHA YOUNG whose telephone number is (571)270-3163. The examiner can normally be reached on Mon-Thurs 7:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Walter Griffin can be reached on 571-272-1447. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

NY

/Walter D. Griffin/
Supervisory Patent Examiner, Art Unit 1797